

DECOGLASS[®]

[FROST] : SOLO 202

GENERAL INFORMATION

Polymeric PVC (translucent matt, 80 µ) with clear solvent based acrylic adhesive (permanent), laminated on an PE-coated silicone paper liner.

The PVC offers an excellent dimensional stability.

Etched glass film for mid-to long-term window decoration. Coated with a solvent based pressure sensitive acrylic adhesive, enabling wet application.

Designed to be highly resistant to solvent ink aggression during printing process and to guarantee very good printing performance on any solvent and eco-solvent based ink-jet printer.

Particularly suitable for application on flat, curved and slightly corrugated surfaces. No adhesive residue after removal, if correctly applied.

Good water resistance.

TECHNICAL DATA

Carrier:	polymeric PVC, calendered
Thickness:	80 µ +/- 5 %
Adhesive:	clear solvent acrylic, permanent
Tack:	medium
Adhesion:	high
Liner:	two-sided PE-coated silicone paper (120 gsm)
Application temperature:	+10 - +40 °C
Service temperature:	- 20 - +130 °C
Outdoor durability:	5 years (unprinted film)

APPLICATIONS

Translucent Etch simulation effect for glass decoration. Especially designed to create sand blasting and frosty effects when applied on **glasses or mirrors**.

Additionally printable with solvent and eco-solvent based inkjet printers.

SHELF LIFE

2 years when stored in the original packaging between 20°C and 25°C at 50% relative humidity.

SAFETY DATA SHEET

When used under normal conditions, this product does not generate or release any dangerous substances or hazardous chemicals. This is a non-hazardous product in accordance with the current GefStoffV and EU criteria. Therefore it is not necessary to prepare a Material Safety Data Sheet for this product. The Safety Data Sheet serves only to comply with the regulation to supply information in accordance with REACH Regulation (EC) No. 1907/2006 and is available on request.

This product is not a hazardous product with regards to transportation legislation; neither does it contain substances that are hazardous to water within the meaning of the federal water act. After use, dispose of the waste product in accordance with the local / national authorities.

STANDART DIMENSIONS

1220 mm x 50 m
1520 mm x 50m

The information set forth herein has been gathered from standard reference materials and/or supplier test data and is to the best knowledge and belief of SOLO Media, accurate and reliable, however, without any responsibility for results due to several different kinds of material and application processes. Therefore, we highly recommend that before every usage a test should be conducted on the original material. SOLO Media makes no warranties, expressed or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility.

MEDIA for [eco] SOLVENT-BASED